



**DUE DATE:**

Seven (7) days is standard unless ok'd by Lab Assistant and/or Dr. Rodriguez

Patient Name: \_\_\_\_\_ Today's Date: \_\_\_\_\_

OCCLUSAL SPLINT (circle which type)

Upper	Lower	
Standard	Hard	Soft

WHITENING TRAYS

Both	Upper	Lower
------	-------	-------

ESSIX HARD RETAINER

Both	Upper	Lower
------	-------	-------

Make sure to EXPORT the scan as an STL file from to the TRIOS folder.

Scanned and Exported by: \_\_\_\_\_

Special Notes:

---



---



---



---



**DUE DATE:**

Seven (7) days is standard unless ok'd by Lab Assistant and/or Dr. Rodriguez

Patient Name: \_\_\_\_\_ Today's Date: \_\_\_\_\_

OCCLUSAL SPLINT (circle which type)

Upper	Lower	
Standard	Hard	Soft

WHITENING TRAYS

Both	Upper	Lower
------	-------	-------

ESSIX HARD RETAINER

Both	Upper	Lower
------	-------	-------

Make sure to EXPORT the scan as an STL file from to the TRIOS folder.

Scanned and Exported by: \_\_\_\_\_

Special Notes:

---



---



---



---